

**FLORIDA WEATHERIZATION ASSISTANCE PROGRAM
SINGLE FAMILY PRIORITY LISTS
SITE BUILT AND MANUFACTURED HOMES**

APPROVED VERSION 9/11/15

SITE-BUILT SINGLE FAMILY PROIORITY LIST

Measures must be installed in the order listed. Only the measures on these priority list may be installed without completing a site-specific priority list. Homes with energy characteristics that differ from the building types used to develop the priority lists require site-specific NEAT/MHEA audits. For any home where a NEAT or MHEA audit has been run, the site-specific energy audit results must be used to determine the measures to be installed, and the priority list must not be used.

Installation/addressing of measures follows this descending order on every dwelling.

HEALTH & SAFETY MEASURES

Combustion Appliance Efficiency, Repairs, Replacements
Other Health & Safety measures as needed

REQUIRED MEASURES - General Heat Waste Reduction Measures

Water Heater Pipe Insulation
Water Heater Insulation
Faucet Aerators
HVAC System Filters
CFL Lighting Retrofits
Low-Flow Showerheads

PRIORITY LIST MEASURES – Building-Specific Energy Conservation Measures

#1	Air Infiltration Reduction
#2	Attic Insulation R-30 (when existing insulation is R-11 or less) to R-30 (ceiling) and R-18 with attic-side air barrier (kneewall)
#3	Duct Insulation (when ducts are uninsulated) to R-8 for ducts located in attic spaces and R-6 for ducts located in other unconditioned areas.
#4	Floor Insulation R-19 when existing floors are uninsulated
#5	Shade Screens / Window Film on unshaded, sun-exposed windows only
#6	Dense Pack Wall Insulation when existing walls are uninsulated
#7	Refrigerator Replacement when metering justifies it

OPTIONAL MEASURES (Only after Required Measures and Priority List Measures are addressed)

Programmable Thermostat

**FLORIDA WEATHERIZATION ASSISTANCE PROGRAM
SINGLE FAMILY PRIORITY LISTS
SITE BUILT AND MANUFACTURED HOMES**

APPROVED VERSION 9/11/15

MANUFACTURED HOME SINGLE FAMILY PRIORITY LIST

Measures must be installed in the order listed. Only the measures on these priority list may be installed without completing a site-specific priority list. Homes with energy characteristics that differ from the building types used to develop the priority lists require site-specific NEAT/MHEA audits. For any home where a NEAT or MHEA audit has been run, the site-specific energy audit results must be used to determine the measures to be installed, and the priority list must not be used.

Installation/addressing of measures follows this descending order on every dwelling.

HEALTH & SAFETY MEASURES

Combustion Appliance Efficiency, Repairs, Replacements
Other Health & Safety measures as needed

REQUIRED MEASURES - General Heat Waste Reduction Measures

Water Heater Pipe Insulation
Water Heater Insulation
Faucet Aerators
HVAC System Filters
CFL Lighting Retrofits
Low-Flow Showerheads

PRIORITY LIST MEASURES – Building-Specific Energy Conservation Measures

#1	Duct Insulation subject to the cost limitations in the Field Guide
#2	Air infiltration Reduction
#3	Shade Screens or window film on unshaded, sun-exposed windows only
#4	Roof Insulation
#5	Wall Insulation what at least 2 inches of open cavity space is available for installation
#6	Refrigerator Replacement when metering justifies it

OPTIONAL MEASURES (Only after Required Measures and Priority List Measures are addressed)

Programmable Thermostat
